### IN THE CLAIMS

1. (Currently Amended) A pharmaceutical composition comprising a compound of Formula 1

$$\begin{array}{c|c} X & Z & \\ \hline A_1 & Y & Z \\ \hline R_1 & R_2 \end{array}$$

$$A_1 \xrightarrow{N} \begin{array}{c} S \\ N \\ R_1 \end{array} \begin{array}{c} A_2 \end{array}$$

Formula 1

or a pharmaceutically acceptable salt thereof, together with at least one pharmaceutically acceptable carrier or excipient, wherein

A<sub>1</sub> is an optionally substituted di-alkylamine, an optionally substituted aryl group, an optionally substituted 5—or 6—membered heteroaryl group, an optionally substituted bicyclic heteroaryl group having a 5—membered heteroaryl ring fused to a phonyl ring, an optionally substituted partially unsaturated or aromatic heterocyclic group having two 6-membered rings, an optionally substituted 5—to 7—membered heterocycloalkyl group containing at least one nitrogen atom and 0 or 1 additional heteroatoms, an optionally substituted partially unsaturated 5—to 7 membered heterocycloalkyl group containing at least one nitrogen atom and 0 or 1 additional heteroatoms, a 5—or 6 membered heterocycloalkyl group fused to a phenyl or heteroaryl ring, or a fused or spire 8 to 11-membered bicyclic heterocycloalkyl group containing at least one nitrogen atom and 0 to 3 additional heteroatoms;

$$A_2$$
 is

#### t is 0 or 1:

X and W are independently O, S, NR, or absent, where R is hydrogen, optionally substituted C<sub>1</sub>-C<sub>6</sub>alkyl, or optionally substituted aryl(C<sub>0</sub>-C<sub>6</sub>alkyl);

V-is-G<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>2</sub>-C<sub>6</sub> alkenyl, C<sub>2</sub>-C<sub>7</sub> cycloalkyl, or absent;

Y is C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> alkyl substituted with C<sub>2</sub>-C<sub>1</sub>eyeloalkyl, C<sub>2</sub>-C<sub>6</sub> alkenyl, C<sub>2</sub>-C<sub>4</sub> eyeloalkyl, or absent; wherein when V is absent, W is absent;

Z is earbonyl, thiocarbonyl, imino, or C. Calkylimino;

R1 and R2 are independently hydrogen, or

R<sub>1</sub> and R<sub>2</sub> are independently C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>2</sub>-C<sub>6</sub>alkenyl, or C<sub>2</sub>-C<sub>6</sub>alkynyl, each of which is substituted with 0 to 3 substituents independently chosen from halogen, hydroxy, amino, C<sub>1</sub>-C<sub>4</sub>alkoxy, C<sub>1</sub>-C<sub>2</sub>haloalkyl, and C<sub>1</sub>-C<sub>2</sub>haloalkoxy, ex

R<sub>1</sub> and R<sub>2</sub> are joined to form a 5- to 7-membered suturated or mone unsaturated ring optionally containing one additional heterostom-chosen from N, S, and O, which 5- to 7-membered saturated or mone unsaturated ring is substituted with 0 to 3 substituents independently chosen from halogen, hydroxy, arnino, C<sub>1</sub>-C<sub>2</sub>nlkyl, C<sub>1</sub>-C<sub>4</sub>alkexy, mone and di-(C<sub>1</sub>-C<sub>4</sub>alkyl)amino, C<sub>2</sub>-C<sub>3</sub>halonlkyl, and C<sub>3</sub>-C<sub>3</sub>halonlkoxy;

#### Ruis-Cu-Calleyly

R<sub>11</sub> and R<sub>12</sub> each represent 0 to 3 substituents independently chosen from halogen, hydroxy, cyano, C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>1</sub>-C<sub>6</sub>alkoxy, mono- and di-(C<sub>1</sub>-C<sub>6</sub>alkyl)amino, C<sub>2</sub>-C<sub>6</sub>alkanoyl, C<sub>1</sub>-C<sub>2</sub>haloalkyl, C<sub>1</sub>-C<sub>2</sub>haloalkoxy, and phenyl; and

R<sub>13</sub> and R<sub>14</sub> are independently chosen at each occurrence from hydrogen and C<sub>1</sub>-C<sub>4</sub>alkyl<sub>5</sub>.

R15 is C4 Coalkory or C4 Coalkyl;

Pacis C. Calkoxy or C. Calkyl; and

Ry represents 0 to 2 substituents independently chosen from helogen, methyl, and methoxy;

- 2. (Currently Amended) A compound or salt pharmaceutical composition according to Claim 1 wherein
- A<sub>1</sub> is a di-(C<sub>1</sub>-C<sub>6</sub>alkyl)amino, an aryl group, a 5- or 6-membered heteroaryl group, a bicyclic heteroaryl group having a 5-membered heteroaryl ring fused to a phenyl ring, a partially unsaturated or aromatic heterocyclic group having two 6-membered rings, a 5- to 7-membered heterocycloalkyl group containing at least one nitrogen atom and 0 or 1 additional heteroatoms, a partially unsaturated 5- to 7-membered heterocycloalkyl group containing at least one nitrogen atom and 0 or 1 additional heteroatoms, a 5- or 6-membered heterocycloalkyl group fused to a phenyl or heteroaryl ring, or a fused or spire 8 to 11 membered bicyclic heterocycloalkyl group containing at least one nitrogen atom and 0 to 3 additional heteroatoms; each of which A<sub>1</sub> is substituted with 0 to 5 substituents independently chosen from:
- (a) halogen, hydroxy, cyano, amino, nitro, oxo, -COOH, -CONH<sub>2</sub>, -SO<sub>2</sub>NH<sub>2</sub>, -SH, C<sub>1</sub>-C<sub>2</sub>haloalkyl, and C<sub>1</sub>-C<sub>2</sub>haloalkoxy,
- (b) C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>2</sub>-C<sub>6</sub>alkenyl, C<sub>2</sub>-C<sub>6</sub>alkynyl, C<sub>1</sub>-C<sub>6</sub>alkoxy, C<sub>2</sub>-C<sub>6</sub>alkenyloxy, C<sub>1</sub>-C<sub>4</sub>alkoxy(C<sub>1</sub>-C<sub>4</sub>alkyl), amino(C<sub>1</sub>-C<sub>6</sub>)alkyl, mono- and di-(C<sub>1</sub>-C<sub>6</sub>alkyl)amino, mono- and di-(C<sub>1</sub>-C<sub>4</sub>alkyl)aminoC<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>2</sub>-C<sub>6</sub>alkanoyl, C<sub>2</sub>-C<sub>6</sub>alkanoyloxy, C<sub>1</sub>-C<sub>6</sub>alkoxycarbonyl, -mono- and di-(C<sub>1</sub>-C<sub>6</sub>alkyl)carboxamide, (C<sub>3</sub>-C<sub>7</sub>cycloalkyl)carboxamide, mono- and di-(C<sub>1</sub>-C<sub>6</sub>alkyl)sulfonamide, C<sub>1</sub>-C<sub>6</sub>alkylthio, aryl(C<sub>0</sub>-C<sub>4</sub>alkyl)thio, C<sub>1</sub>-C<sub>6</sub>alkylsulfinyl, and C<sub>1</sub>-C<sub>6</sub>alkylsulfonyl, and
- (c) -GR, where

G is chosen from  $-(CH_2)_n$ ,  $C_2$ - $C_4$ alkenyl,  $C_2$ - $C_4$ alkynyl,  $-(CH_2)_nO(CH_2)_m$ , and  $-(CH_2)_nN(CH_2)_m$ , where n and m are independently 0, 1, 2, 3, or 4; and  $R_4$  is chosen from  $C_3$ - $C_8$ cycloalkyl,  $C_2$ - $C_7$ monocyclic heterocycloalkyl,  $C_5$ -

C10bicyclicheterocycloalkyl, indanyl, tetrahydronapthyl, aryl, and heteroaryl;

each of which (b) and (c) is substituted with 0 to 5 substituents independently chosen from halogen, hydroxy, amino, C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, mono- and di-(C<sub>1</sub>-C<sub>4</sub>alkyl)amino, C<sub>2</sub>-C<sub>4</sub>alkanoyl, C<sub>1</sub>-C<sub>4</sub>alkoxycarbonyl, C<sub>1</sub>-C<sub>2</sub>haloalkoxy, and phenyl;

X and W-are independently O, S, NR, or absent,

where R is hydrogen or R is C<sub>1</sub>-G<sub>6</sub>alkyl or aryl(C<sub>0</sub>-G<sub>4</sub>alkyl), each of which is substituted with 0 to 5 substitutents independently chosen from halogen, hydroxy, cyano, amine, nitro, oxo, C<sub>1</sub>-C<sub>2</sub>haloalkyl, C<sub>1</sub>-C<sub>2</sub>haloalkyl, C<sub>2</sub>-C<sub>6</sub>alkyl)amino;

V-is independently C1-C6 alkyl, C2-C6 alkenyl, C3-C2 eyeloalkyl, or absort;

Y is C. C. alkyl, C. C. alkyl substituted with C. C. eyeloalkyl, C. C. eakenyl, C. C. eyeloalkyl, or absent:

P.8

#### API-0002

wherein when V is absent, W is absent.

Z-is earbonyl, thiocarbonyl, or imine; and

R<sub>1</sub> and R<sub>2</sub> are each independently hydrogen, or C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>2</sub>-C<sub>6</sub> alkenyl, or C<sub>2</sub>-C<sub>6</sub> alkynyl,

- R1 and R2 are independently C1 Coulkyl, C2 Coulkenyl, or C2 Coalkynyl, each of which is substituted with 0 to 3 substituents independently chosen from halogen, hydroxy, amino, C<sub>4</sub>-C<sub>2</sub>alkoxy, C<sub>4</sub>-Cahaloalkyl, and C<sub>1</sub> Cahaloalkoxy, or
- R<sub>2</sub> and R<sub>2</sub> are joined to form a 5- to 7-membered saturated or mono-unsaturated ring optionally containing one additional heterontom chosen from N, S, and O, which 5 to 7-membered saturated or monounsaturated ring is substituted with 0 to 3 substituents independently chosen from halogen, hydroxy, amino, C. Calkyl, C. Calkoxy, mono and di (C. Calkyl) amino, C. Cahaloalkyl, and C.-C.haloalkoxy.

Claims 3-12. (Canceled)

- 13. (Currently Amended) A compound or salt pharmaceutical composition according to Claim 6  $\underline{2}$  in which  $R_1$  and  $R_2$  are independently hydrogen, methyl, or ethyl.
- (Currently Amended) A compound or salt pharmaceutical composition according to 14. Claim 13 in which R<sub>1</sub> and R<sub>2</sub> are both hydrogen.

Claims 15-16, (Canceled).

17. (Currently Amended) A compound or salt pharmaceutical composition according to Claim 6 2 wherein

A, is aryl, a partially unsaturated heterocyclic group, or heteroaryl group;

substituted with 0 to 5 substituents independently chosen from:

- (a) halogen, hydroxy, cyano, amino, nitro, oxo, -COOH, -CONH2, -SO2NH2, -SH, C1-C2haloalkyl, and C1-C2haloalkoxy, and
- (b) C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>2</sub>-C<sub>6</sub>alkenyl, C<sub>2</sub>-C<sub>6</sub>alkynyl, C<sub>1</sub>-C<sub>6</sub>alkoxy, C<sub>2</sub>-C<sub>6</sub>alkenyloxy, C<sub>1</sub>-C<sub>4</sub>alkyl), amino(C1-C6)alkyl, mono- and di-(C1-C6alkyl)amino, mono- and di-(C1-C4alkyl)aminoC1-C4alkyl, C2-C6alkanoyl, C2-C8alkanoyloxy, C1-C8alkoxycarbonyl, mono- and di-(C1-C6alkyl)carboxamide, (C3-C7cycloalkyl)carboxamide, mono- and di-(C1-Coalkyl)sulfonamide, C1-Coalkylthio, aryl(C0-C4alkyl)thio, C1-C6alkylsulfinyl, and C1-

Calkylsulfonyl, and

(c) -GR, where

G is chosen from -(CH<sub>2</sub>)<sub>n</sub>-, C<sub>2</sub>-C<sub>4</sub>alkenyl, C<sub>2</sub>-C<sub>4</sub>alkynyl, -(CH<sub>2</sub>)<sub>n</sub>O(CH<sub>2</sub>)<sub>n</sub>-, and -(CH<sub>2</sub>)<sub>n</sub>N(CH<sub>2</sub>)<sub>m</sub>-, where n and m are independently 0, 1, 2, 3, or 4; and R<sub>2</sub> is chosen from C<sub>3</sub>-C<sub>8</sub>cycloalkyl, C<sub>2</sub>-C<sub>7</sub>monocyclic heterocycloalkyl, C<sub>5</sub>-C10bicyclicheterocycloalkyl, indanyl, tetrahydronapthyl, aryl, and heteroaryl; each of which (b) and (c) is substituted with 0 to 5 substituents independently chosen from halogen. hydroxy, amino, C1-C4alkyl, C1-C4alkoxy, mono- and di-(C1-C4alkyl)amino, C2-C4alkanoyl, C1-

Claims 18-19. (Canceled)

- 20. (Currently Amended) A compound or salt pharmacoutical composition according to Claim 48 17 in which A<sub>1</sub> is substituted with 0 to 5 substituents independently chosen from
- (a) halogen, hydroxy, cyano, amino, nitro, oxo, C1-C2haloalkyl, and C1-C2haloalkoxy, and
- (b) C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>1</sub>-C<sub>6</sub>alkoxy, C<sub>1</sub>-C<sub>4</sub>alkoxy(C<sub>1</sub>-C<sub>4</sub>alkyl), amino(C<sub>1</sub>-C<sub>4</sub>)alkyl, mono- and di-(C<sub>1</sub>-C4alkyl)amino, and mono- and di-(C1-C4alkyl)aminoC1-C4alkyl; and
- (c) -GRa where

G is from  $-(CH_2)_n$ ,  $-(CH_2)_nO(CH_2)_m$ , and  $-(CH_2)_nN(CH_2)_m$ , and

C4alkoxycarbonyl, C1-C2haloalkyl, C1-C2haloalkoxy, and phenyl.

- R<sub>a</sub> is C<sub>3</sub>-C<sub>8</sub>cycloalkyl, 5 or 6-membered heterocycloalkyl containing 1 or 2 heteroatoms independently chosen from O, S, and N, 5- or 6-membered heteroaryl containing 1, 2, or 3 heteroatoms independently chosen from O, S, and N, indanyl, and phenyl,
- each of which (b) and (c) is substituted with 0 to 5 substituents independently chosen from halogen, hydroxy, amino, C1-C4alkyl, C1-C4alkoxy, mono- and di-(C1-C2alkyl)amino, and C1-C2haloalkyl, and  $C_1$ - $C_2$ haloalkoxy.
  - 21. (Currently Amended) A compound or salt pharmaceutical composition according to Claim 20 in which
- A<sub>1</sub> is substituted with 0 to 3 substituents independently chosen from halogen, hydroxy, cyano, amino, nitro, oxo, C<sub>1</sub>-C<sub>2</sub>haloalkyl, C<sub>1</sub>-C<sub>2</sub>haloalkoxy, C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>1</sub>-C<sub>6</sub>alkoxy, C<sub>1</sub>-C<sub>4</sub>alkyl), amino(C1-C4)alkyl, mono- and di-(C1-C4alkyl)amino, and mono- and di-(C1-C4alkyl)aminoC1-C4alkyl.

Claims 22-54. (Canceled),

55. (Currently Amended) A compound or salt pharmaceutical composition according to Claim 2 of the formula Formula 27, wherein

Formula 27

wherein

R<sub>18</sub> represents 0 to 3 substituents independently chosen from halogen, hydroxy, cyano, amino, nitro, C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, mono- and di-(C<sub>1</sub>-C<sub>4</sub>alkyl)amino, C<sub>1</sub>-C<sub>2</sub>haloalkyl, C<sub>1</sub>-C<sub>2</sub>haloalkoxy, and phenyl.

Claims 56 - 80. (Canceled)

- 81. (Currently Amended) A compound or pharmaceutically acceptable salt thereof, in which the compound is selected from The pharmaceutical composition of Claim 1 in which the compound is
- 1 (Furan 2 carbonyl) 3 (4-benzo[d]thiazol-2 yl phonyl) thiourea;
- 1-(Benzofuran 2-yl-carbonyl) 3 [5-(benzo[d]oxazol-2-yl) 2-methyl]phenylthiourea;
- 1 (3 (Benzo[d]thiazel 2 yl)phenyl)-3 (2-phenoxyacetyl) thiourea;
- 1-(4-(Bonzo[a]exazel-2-yl)phenyl)-3-propionylthiourea;
- 1-(Pyridin-3 carbonyl)-3-(4-benzo[d]thiazol-2-yl-phonyl) thioxea;
- 1-[3-(2-chlorophonyl-5-methyl-isoxazol-4-yl)-carbonyl]-3-(4-isopropylphonyl)thiouroa;

Butyl4-(3-(2-phenoxyneetyl) thiourcido)benzoate;

Butyl-4-(3 acetylthioureido)benzoate;

Butyl 4-(3-(2-(3-chlorophenoxy) acetyl)-thiourcide)benzoate;

Butyl 4 (3 (3 phenoxypropanoyl) thiourcido)benzoate;

P.11

#### APT-0002

Butyl-4-(3-(2-(naphthalen-3-yloxy)acetyl)thioureido)benzoate;

Butyl 4-(3-(benzofuran-2-yl-enrbenyl)thioureido)benzoate;

Ethyl-2 (4-(3-(2 phenoxyacetyl)thioureido)phenyl)acetate;

Ethyl 4 (3 (2 phenexyacetyl)thiourcide)benzoate;

Butyl 4 (3 (2 methoxyacetyl) thioureido)benzoate;

Butyl 4 (3-(2-(2,4-dichlorophenoxy) acetyl)thioureido)benzoate;

Butyl 4-(3-(2-(4-text-butylphenexy) acetyl)thiourcide)benzoate;

Butyl 4-(3-(2-(4 (benzyloxy) phenoxy)acetyl)thioureido)benzoate;

Butyl 4 (3 (2 (2 methoxyphenoxy) acetyl)thioureido)benzoate;

Butyl-4 (3 (2 (o-tolyloxy)acetyl)thioureido)benzoate;

Butyl 4-(3-(2-(2,4,6-tricklorophenoxy)acetyl)thioureido)benzoate;

Butyl-4-(3-(3,4-dichlerophenyl) carbonyl)thiourcide)benzoate;

1-(3,4-diehlorophenyl-carbonyl)-3-(3-triffuromethylphenyl)thioures;

1-(3,4-Dichlorophenyl-carbonyl)-3-(3-benzoxy-phenyl)thiourca;

1-(3,4-Dichlorophenyl-carbonyl)-3-(3-phenoxy-phenyl)thiourea;

1 (3,4 Diffurophenyl-carbonyl) 3 (3 (5 methylfuran 2 yl) phenyl)thiourea;

Butyl-4-(3-(naphth-2-yl) carbonyl)thiourcido)benzoate;

Butyl-4 (3-(4-cyanophonyl) carbonyl)thioureido)benzoate;

Butyl 4-(3-(methylacetate) carbonyl)thiourcide)benzoate;

1-((Benzofuran 2 yl eurbonyl) 3 (4 (phenoxy) phenyl)thiourea;

Butyl 4-(3-(2-(3,4 dichlorophenexy)acetyl)thioureide)benzonte;

1 (4 Butylphenyl)-3-(2-phenoxyacetyl)thiourea;

(Amino (3-(benzyloxy)phonyl) methanethiocarbamoyl)methyl-acetate;

1-(3-(Methylthio)propancyl)-3-(3-(benzyloxy)phonyl)thiouren;

1-(2-(2-Chlerophenoxy)acetyl) 3-(3-(benzyloxy)phenyl)thiourea;

Butyl 4 (3 (naphth-1-yl)-carbonyl)thioureido)benzoate;

(S)-1-(Amino N p (butylacetate) methanethicoarbamoyl)ethyl acetate;

Butyl 4 (3 (2 (2 methoxyethoxy)acetyl)thioureide)benzoate;

(AminoN (4-cyclohoxylphenyl)methanothiccarbamoyl)(phenyl)methyl acetate;

Ethyl-3 (amino N (4 cyclohexylphenyl)methanethicearbamoyl)propanoate;

1 Butyryl-3-(4 cyclohexylphonyl)thiouren;

(S)-1-(Arnino-N-(4-cyclohexylphonyl)methanethiocarbamoyl)ethyl acctate;

1-(3 (Benzylexy)phenyl)-3-(2-hydrexyacetyl)thiourea;

```
Butyl 4 (3-(2-(2,6-dichlerophenoxy) acetyl)thioureido)benzoate;
Butyl 4 (3 (2-(3 methoxyphenoxy) acetyl) thioureide)benzoate;
1-[(1 methyimidazol 2-yl) - carbonyl] 3-(3-benzoxy phenyl)thiourea;
tert-Butyl 2-(aminoN-(3 (benzyloxy) phenyl)methanothiocarbamoyl) pyrtolidone-1 earboxylate;
Butyl 4 (3 (pyrrolidin 1 yl) earbonyl)thiourcide)benzoate;
Butyl 4-(3 (1 methyl-benzofuran 2 yl) earbonyl)thioureido)benzoate;
1 (4-Hexylphenyl)-3-(2-phenexyacetyi)thiourea;
1-(4-(Pentyloxy)phonyl) 3-(2-phenoxyacetyl)thiourea;
1 ((Benzefuran 2 yl carbonyl)-3 (4 pentylexy) phenyl)thiourea;
1 (4 Pentylphenyl)-3-(2-phenexyacetyl)thiourea;
1-((Benzofuran 2 yl-carbonyl) 3 (4-pentyl)-phenyl)thiourea;
1 ((Benzefuran 2 yl-carbonyl)-3 (4-pentyleny) phenyl)thiourea;
1-(4-Butoxyphenyl)-3-(2-phenoxyacetyl)thiourea;
1-((Bonzofuran 2-yl-carbonyl)-3-(3-phenyl)-phenyl)thiourea;
1 (2-Phenoxyucetyl)-3 (3 phenyl) phenylthiourea;
Isopropyl 4 (3 (benzofaran 2-yl) enrbonyl)thioureido)benzoate;
I-(2 phenoxyacetyl)-3-94-fluoro-phenyl)-phenylthiourea;
1-(3-benzylphenyl)-3-(2-phenoxyacetyl)thiourea;
1-((Benzofuran 2 yl carbonyl) 3 (3 benzyl) phenyl)thiouren;
1 ((Benzefuran 2 yl carbonyl) 3 (4-benzyl) phenyl)thiouren;
1-(4-(p-Tolyloxy)phenyl)-3-(2-phenoxyacetyl)thiourea;
Isobutyl 4 (3 (benzefuran 2 yl) carbonyl)thioureido)benzeate;
Isobutyl 4-(3-(2-phenoxyacetyl)thioureido)benzeste;
1 (2 (phonylmethanone)phonyl) 3 (2 phonoxyacotyl)thiourea;
1-(3 (Phonylearbamoyl)phonyl) 3 (2 phonoxyacetyl)thiouren;
1 (3 (2 Methylpyrimidin 4 yl)phenyl) 3 (2 phenoxyacetyl)thiourea;
1 (4 (4 Chlorophenoxy)phonyl)-3-(2-phonoxyaoctyl)thiourca;
1 ((Benzofuran 2 yl-ombonyl) 3 (4 Chlorophonoxy) phonyl)thiouros;
1-(4-(3,4-Dihydroisoquinolin-2(1H)-yl)phenyl)-3 (2-phenoxyacetyl)thiouren;
1-(3-Fluoro 4-(octahydroquinolin-1(2H)-yl)phenyl) 3-(2-phenoxyacetyl)thiourox;
1-(3-Fluoro 4-(octahydroquinolin-1(2H)-yl)phenyl)-3-(2-phenoxyacetyl)thiouroa;
1 (3 Fluoro 4 (piperidin 1-yl)phenyl) 3 (2 phenoxyacetyl)thiouren;
```

1-((Benzofuran 2-yl-carbonyl) 3 (3 fluoro 4 (piperidin 1 yl)phenyl) phenyl)thiourez;

- 1-(3-(3-Methoxybenzyloxy) phenyl) 3-(2-phenoxybectyl) thiourea;
- 1-((Benzofuran-2-yl-carbonyl) 3 (3 (3-methoxybenzylexy)) phenyl) phenyl) thiouren;
- 1-(3-(2 Methoxybenzylexy) phenyl)-3-(2-phenoxyacetyl) thiourea;
- 1 ((Benzofuran 2 yl carbonyl)-3 (3 (2 Methersybenzyloxy) phonyl) thiourea;
- 1-(3-(4 Mothoxybenzyloxy) phenyl) 3-(2 phenoxynoctyl) thioures;
- 1-((Benzofuran-2-yl-earbonyl) 3-(3-(cyclohexylmethoxy) phenyl) thiourea;
- 4-(3-(Gyolohexylmethexy) phenyl) 3-(2-phonoxyaoutyl)thiouros;
- 1-((Benzehran 2-yl-ourbenyl) 3-(4-(5,6-dihydropyridin 1(2H)-yl))phenyl) thiouroa;
- 1-((5-Methoxy-benzofuran 2-yl-carbonyl)-3-(3-benzyloxy-phenyl)-thiourea;

Butyl 4 (3 (5 chloro-benzofuran 2 yl) carbonyl)thiourcido)benzoato;

- 1-(7-Methoxy-benzofuran 2-yl-carbonyl)-3-(3-methoxybonzyloxy)phenyl)-phenyl)thiouroa;
- 1-(2,3,4-tetrahydronapthalen-2-yl-carbonyl)-3-(3-(3-methoxybenzyloxy))phenyl)-phenyl)thiourea;
- 1-(2 (4 (Trifluoromethoxy) phenoxy) acetyl) 3 (3 (benzyloxy)phenyl) thiourea;
- 1-(3-(Benzyloxy)phenyl)-3-(2-(pyridin-3-yloxy)acetyl) thiourea;
- 1-(4-oxo 4-H-chromen-2-yl-carbonyl)-3-(3-methoxybenzyloxy)phenyl) phenyl)thiourea;
- 1-(3 (Benzyloxy)phenyl)-3-(2 (pyridin-2 yloxy)acetyl) thiouren;
- 1 (Pyridin-2-yl-carbonyl) 3 (3 methoxybonzyloxy)phenyl) phonyl)thiourea;
- 1-(3 Chloro-benzo[b]thiophen 2-yl-ourbonyl) 3-(3 ethoxybenzyloxy)phenyl) phenyl)thiourea;
- 1-(4-Trifluoromethoxy-phenyl-carbonyl)-3-(3-ethoxybenzyloxy)phenyl)-phenyl)thiourea;
- 1-(5-Methylisoxazol-3-yl-carbonyl) 3-(3-ethoxybenzylexy)phenyl) phenyl)thiourea;
- 1-(2-Mothyl 5-phonyl furan-3-yl-ourbonyl) 3-(3-othoxybonzyloxy)phonyl) phonyl)thioures;
- 1-(4-Trifluoromethyl-phenyl-carbonyl)-3-(3-ethoxybenzyloxy)phenyl)-phenyl)thiourea;
- 1-(3-Chloro-benze[b]thiophen 2-yl-carbonyl)-3-(3-phenyloxy)phonyl) phenyl)thiourea;
- 1-(4-Trifluoromethoxyphenyl-carbonyl)-3-(3-phenyloxy)phenyl)-phenyl)thiourea;
- 1-(3,5-Dimethylisoxazol 4-yl-carbonyl) 3 (3 phenyloxy)phenyl) phenyl)thiourca;
- 1 (5 Methylicoxazol 3 yl carbonyl) 3 (3 phenyloxy)phenyl) phenyl)thiouren;
- 1-(4-Trifluoromethylphenyl-carbonyl)-3-(3-phenyloxy)phenyl)-phenyl)thiourea;
- (S)-1-(Amino-N-(3-(benzyloxy) phenyl)methanethiocarbamoyl)ethyl-acetate;
- (S) 1-(Amino-N-(3-phenoxyphenyl)methane thiocarbamoyl)ethyl acetate;
- (S)-1-(Amino-N-(3-benzyl-phonyl)mothanethiocarbamoyl)ethyl neetate;
- Ethyl 1 (2 fluoro-4-(3-(benzofuran 2 3/1 carbonyl)thiouroido)phonyl) 4-phonylpiperidine 4 carboxylate;
- 1-(4 Triffuoromethylphenyl-curbonyl)-3-(2-phonylbonzo[d][1,3]dioxel-6-yl) phonyl)thiouros;
- 1 (3 Chloro-methylbenzo[b]thiophen 2 yl carbonyl) 3 (2 phenylbenzo[d][1,3]dioxol-6 yl)

# phenyl)thiourea;

- 1-(4-Trifluoromethoxyphenyl-carbonyl)-3(2-phenylbenzo[d][1,3]dioxol-6-yl) thiourea;
- 1 (5 Methylisoxazol 3 yl carbonyl) 3 (2 phenylbenzo[d][1,3]dioxol 6 yl) phenyl)thiourea;
- 1-(3-((R)-1-Phonylethoxy)phonyl) 3-(4-trifluoremethylphonyl-carbonyl)thiourea;
- 1-(3-((R) 1-Phonylethoxy)phonyl)-3-(3-chlore methylbenzo[b]thiophon-2-yl-carbonyl)thiourea;
- 1-(3-((R)-1-Phenylethoxy)phenyl)-3-(4-trifluoromethoxy-phenyl-carbonyl)thiouren;
- 1-(3-((R)-1-Phenylethoxy)phenyl) 3-(5-methylisoxazol 3-yl-ourbonyl)thiourea;
- 1-(3-((S)-1-Phenylethoxy)phonyl)-3-(4-trifluoromethylphenyl-carbonyl)-thiourea;
- 1-(3-((S)-1-Phenylethoxy)phenyl)-3-(4-trifluoromethoxyphenyl-carbonyl)-thiourea;
- 1-(3 ((S)-1-Phenylethexy)phenyl) 3 (5 methylisoxazol 3 yl carbonyl) thiourea;
- 1-(3-(Phenethyloxy)phenyl)-3-(4-trifluoromethylphenyl-carbonyl)-thiourea;
- 1-(3 (Phenethyloxy)phenyl) 3-(3-chloro-methylbenzo[b]thiophen-2-yl-carbonyl) thiouren;
- 1-(3-(Phenethyloxy)phenyl)-3-(4-trifluoromethoxyphenyl-carbonyl)-thiourea;
- 1-(3 (Phonethyloxy)phonyl) 3-(3,5-dimethylisoxazol 4-yl-carbonyl) thiownen;
- 1-(3 (Phenethyloxy)phenyl)-3-(5-mothylisoxazol-3-yl-carbonyl) thiourea;
- 1-(3-(2,3-Dihydro-111-inden-2-yloxy)phonyl)-3 (4-trifluoromethylphonyl-carbonyl)thiourea;
- 1-(3-(2,3 Dihydro-1H-inden 2 yloxy)phenyl)-3-(4 trifluoromethoxyphenyl-carbonyl)thiouren;
- 1-(3-(2,3-Dihydro-1H-inden 2-yloxy)phenyl) 3 (3,5-dimethylisoxazol 4-yl-carbonyl)thiouroa;
- 1-(3-(2,3-Dihydro-III-inden-2-ylexy)phonyl) 3 (5-methylicoxazol-3-yl-curbonyl)thiourea;
- 1-(2 Phonylbonzo[d][1,3]dioxol 6-yl) 3-(benzofuran-2-yl-carbonyl)thiourea;
- 1-(3-((S)-1-Phenylothoxy)phenyl)-3-(benzofuran 2-yl-carbonyl)-thiouroa;
- 1-(3 (Phenethyloxy)phenyl)-3 (benzofuran 2 yl-carbonyl) thiouros;
- 1 (3 (2,3 Dihydro-1H-inden 2 yloxy)phenyl) 3 (benzofuran 2 yl-carbonyl)thiourea;
- 1-(3-((R)-1-Phenylethoxy)phenyl)-3-(benzofuran 2-yl-carbonyl)thiouros;
- 1-(2,4-dimethylthiazol-5-yl-carbonyl)-3-(3-phonyloxy)phonyl)-phonyl)thiouren;
- 1-(1 mothyl-pyrrol-2-yl-carbonyl) 3-(3-(bonzyloxy)phenyl)thiourea;
- 1 (3 (Phenethyloxy)phenyl) 3 ((2,7-dimethylpyrazolo[1,5-a]pyrimidin-6-yl) carbonyl) thiourea;
- 1-(3-(Phenethyloxy)phenyl) 3 (1-ethyl 3-methyl 111-pyrazol 5-yl-carbonyl) thiourea;
- 1-(3-(2,3-Dihydro-1H inden-2 yloxy)phonyl) 3-(2,4-dimethylthiazol-5-yl-earbonyl)thiourea;
- 1 (3 (2,3 Dihydro 1H index 2 yloxy)phenyl)-3 ((2,7 dimethylpyrazolo[1,5 a]pyrimidin 6 yl)carbonyl)thiourea;
- 1-(3-(2,3-Dihydro-111 inden-2-yloxy)phonyl) 3-(1-ethyl-3-methyl-114 pyrazol 5-yl-carbonyl)thiouroa;
- 1 (4 Methyl-1,2,3 thiadiazel 5 yl carbonyl) 3 (3 phonylexy)phenyl) phenyl) thioures;

1-(Benzo[a]thiazel-2-yl-ourbonyi) 3 (3-phenyloxy)phenyl) phenyl)thiourca; 1-(4 Methyl-1,2,3 thindiazol-5 yl-sarbonyl)-3-(3-(benzylexy) phenyl)thiourea; 1-(Benzo[d]thiazol 2 yl carbonyl)-3 (3 (benzyloxy) phenyl)thiourea; 1-(Benzofuran 2-yl-carbonyl) 3-(3 fluoro-5-pentoxy-phonyl)thiourea; 1-(2 Methyl-pyridin 3 yl carbonyl) 3 (3 (benzyloxy) phenyl)thiourea; 1-(1-phonyl-111-pyrazol-5-yl-carbonyl) 3-(3-(benzyloxy) phonyl)thiouren; 1-(1 phenyl-1H-pyrazol 5-yl) 3 ((3 phenyloxy)phenyl) phenyl)thiouren; 1 (2 Phenylbenzo[d][1,3]dioxol 6 yl) 3 (1-phenyl 1H pyrazol 5 yl carbonyl)thiourea; 1-(1-phenyl 1H pyrazol 5-yl) 3 (4-pentoxy-phenyl) phenyl)thiouren; 1-(1-phenyl-1H pyrazol 5-yl)-3-((3-phenylexy phenyl) phenyl)thiourea; 1-(Methylbenzo[b]thiophen 2 yl carbonyl) 3 ((4-pentoxy phonyl) phonyl)thiouren; 1-(isoxazol-5-yl-earbonyl)-3-(3-(benzyloxy) phenyl)thiouren; 1 (isoxazol-5-yl-carbonyl) 3 (3 (phonoxy)-phenyl)thiourea; 1-(isoxazel-5-yl-carbonyl) 3-(4 (pentyl) phenyl)thiourea; 1 (isoxazol-5-yl-carbonyl)-3-(4 (pentoxy) phenyl)thiourea; 1-(isoxazol-5-yl-earbonyl) 3 (3 (phonoxy) phonyl)thiouren; 1 (isoxazol 5 yl-carbonyl) 3 (3 (phenoxy) phenyl)thiourea; 1 ((3 (trifluoromethyl)phenyl)furan 2 yl earbonyl) 3 (3 (benzyloxy) phenyl)thiourea; 1-((3-(trifluoromethyl)phenyl)furan 2-yl-carbonyl)-3-(3-(phenoxy) phenyl)thiouren; 1-(5-Bromo-benzofuran 2 yl carbonyl) 3-(3-(benzyloxy) phenyl)thiourea; 1 (5 Bromo benzofuran 2 yl-ourbonyl)-3 (3 (phenoxy) phonyl)thiourca; 1-(5-Nitro-benzofuran-2-yl-oarbonyl)-3 (3 (benzyloxy) phenyl)thiourea; 1-(5-Nitro-benzofuran 2 yl carbonyl) 3 (3 (phonoxy) phenyl)thiourea; 1 (5 Bromo benzofuran-2 yl carbonyl)-3 (4 pentyl phenyl)thioures; 1-(5-Bromo-benzofuran 2-yl-carbonyl) 3 (4 pentoxy phonyl)thiourea; 1-(Benzofuran-2-yl carbonyl) 3 (4 (hox-1-ymyl)phenyl) thiourea; 1 (Benzofuran 2 yl carbonyl) 3 (3 (2 (pyridin-3-yl)cthynyl)phenyl) thiourea; 1-(Benzofuran-2-yl-carbonyl)-3 (3 (2 (pyridin-3 yl)othyl)phonyl) thiourca; 1-(Benzofuren 2 yl-earbonyl)-3-(3 (pyridin 2-yl) phenyl) thiourea; 1 (Benzofuran 2 yl carbonyl) 3 (3 (pyrkdin 2 yl-oxy) phenyl) thiourea; 1-(3,5-Dimethylisoxazole 4 yl carbonyl) 3-(4 (hex-1 ynyl)phenyl) thiouren; 1-(3,5-Dimethylisoxazole 4-yl-carbonyl) 3-(3-(2 (pyridin 3-yl)ethynyl)phenyl) thiourea; 1-(Benzofuran 2 yl carbonyl) 3 ((3 (trifluoromethyl)benzyloxy) phenyl) thiourea;

1-(Benzofuran 2 yl carbonyl)-3 (4-((1 methylpiperidin 4 yl)methoxy)-3 fluorophenyl)thiouren; 1-(Benzefuran 2-yl-carbonyl) 3 (3 (trifluoromethyl) 4 (piperidin-1-yl)phenyl)thiourea; 1 (1,3 dimethyl-1H thieno[2,3-c]pyrazol-5-yl-earbonyl) 3 (3 (phenoxy) phenyl)thiourea; 1-(5-(2 methylthiazol 4 yl)isoxazol 3 yl earbonyl) 3 (3 (benzyloxy) phenyl)thiouren; 1-(5-(2-methykhiazol 4-yl)isoxazol 3-yl-earbonyl)-3-(3-phenoxy-phonyl)thiouren; 1-(5-(2 methylthiazol-4-yl)isoxazol-3-yl-earbonyl)-3-(4-pentyl-phenyl)thiouren; 1-(5 (2 methylthiazol 4 yl)isoxazol 3-yl-carbonyl) 3-(4 pentoxy phenyl)thiourea; 1-(1,5 Dimethyl 1/1 pyrazol-3-yl carbonyl) 3 (3 (benzyloxy) phenyl)thiourez; 1 (1,5 Dimethyl-1H-pyrazel 3 yl carbonyl) 3 (3-(phenoxy) phenyl)thiouren; 1-(1,5-Dimethyl-1H pyrazol-3-yl-earbonyl) 3 (4 pentyl phenyl)thiourea; 1 (1,5 Dimethyl 1/1 pyrazol-3-yl earbonyl) 3 (4 pentoxy-phenyl)thiourea; 1 (1 Methyl 3 tert butyl-1H pyrazel 3 yl carbonyl)-3 (3 (benzylexy) phenyl)thiourea; 1 (1 Methyl-3-tert-butyl 177 pyrazol-3-yl-carbonyl)-3-(3 (phonoxy) phonyl)thiourea; 1 (1-Methyl 3 tert butyl 1 // pyrazol-3-yl-oarbonyl) 3 (4 pentyl phenyl)thiourea; 1 (2 Trifluoromethyl-5-methyl furan 2 yl carbonyl) 3 (3 (benzyloxy)-phonyl)thiourea; 1-(2 Trifluoromethyl 5 methyl furan 2-yl-carbonyl) 3 (3 (phenoxy) phenyl)thiourea; 1 (2 Trifluoromethyl-5-methyl-furan 2 yl carbonyl) 3 (4 pontyl-phenyl)thiouren; 1-(Benzo[c][1,2,5]oxadiazol 5-yl-carbonyl) 3-(3-(benzyloxy) phenyl)thiourea; 1 (Benzo[e][1,2,5]exadiazol-5-yl-carbonyl)-3-(3-(phonoxy) phonyl)thiourea; 1 (Benzo[e][1,2,5]exadiazol-5-yl-carbonyl) 3 (4 (pentyl) phenyl)thiourea; 1 (Benze[c][1,2,5]oxadiazol-5-yl-earbenyl) 3 (4 (pentexy) phenyl)thiouzen; 1-(2,7-Dimethylpyrazolo[1,5-a]pyrimidin 6-yl-carbonyl)-3-(3-(benzyloxy) phenyl)thiouroa; 1 (2,7 Dimethylpyrazolo[1,5-a]pyrimidin-6-yl-carbonyl) 3 (3 (phonoxy) phonyl)thiourea; 1-(2,7-Dimethylpyrazolo[1,5-a]pyrimidin 6 yl carbonyl) 3 (4 (pentyl) phenyl)thiourea; 1-(3-Methylisoxazol 4-yl-carbonyl)-3-(3-(benzyloxy)-phenyl)thiourea; 1 (3 Methylisexazol 4 yl carbonyl) 3 (3 (phenoxy) phenyl)thiourea; 1 (3 Methylisoxazol 4 yl-carbonyl) 3 (4 (pentyl) phonyl)thiourca; 1 (3-Methylisoxazol-4-yl-carbonyl) 3 (4 (pentoxy) phonyl)thiourea; 1 (5 Methyl 2 phenyl 2H 1,2,3 triazol 4 yl carbonyl) 3 (3 (benzyloxy) phenyl)thiouros; 1 (5 Methyl 2 phenyl 2H 1,2,3 triazol 4-yl-earbonyl) 3 (3 (phenoxy) phenyl)thiourea; 1-(5-Chlore 3-methylbenzo[b]thiophen 2-yl carbonyl) 3-(3-(benzyloxy)-phenyl)thiourea; 1-(5-Chloro-3-methylbenzo[b]thiophen-2-yl-carbonyl) 3-(3-(phenoxy)-phenyl)thiourea; 1-(1,3-Dimethyl 1H pyrazol 5 yl carbonyl) 3 (3 (bonzyloxy) phenyl)thiourea;

1 (1,3 Dimethyl 111 pyrazel-5 yl carbonyl) 3 (3 (phenexy) phenyl)thiourea; 1-(1,3-Dimethyl-1H-pyrazol 5 yl carbonyl) 3 (4 (pentyl) phenyl)thiouren; 1 (1,3 Dimethyl 1/1 pyrazol 5 yl carbonyl) 3 (4 (pentoxy) phenyl)thiourea; 1-(2 (Pyridin 3-yl)thiazol-4-yl-enrbonyl)-3-(3 (benzyloxy) phenyl)thiourou; 1 (2 (Pyridin 3-yl)thiazol 4-yl-carbonyl) 3 (3 (phonyloxy) phonyl)thiourea; 1-(2 (Pyridin 3 yl)thiazol 4 yl-carbonyl) 3 (4 (pentyl) phenyl)thiourea; 1-(2 (Pyridin-3-yl)thiazol 4 yl carbonyl) 3 (4 (pentoxy)-phenyl)thiourea; 1 (4 Methoxy benzefuran 2 yl carbonyl) 3 (4 (benzyloxy) phenyl)thiourea; 1-(4-Methoxy-benzofuran 2 yl earbenyl) 3 (3 fluoro 4 pentoxy phenyl)thiouren; 1-(Benzefuran 2 yl-carbonyl)-3-(3,5-dibromo-4-(pent 4 enyloxy)phonyl)thiourea; 1 (Benzofurun-2-yl-curbonyl)-3-(3 ((pyridin 3 yl)methyl) phenyl)thiourea; 1-(5-Iodo benzofuran 2 yl carbonyl) 3 (3 (benzyloxy)phenyl)thiouren; 1-(5-Phenyl-benzofuran 2 yl carbonyl) 3 (3 (benzyloxy)phenyl)thiourea; 1-(5-(2-Pyridyl)benzofuran 2 yl carbonyl) 3 (3 (benzyloxy)phenyl)thiouren; 1 (3 Propoxy pyridin 2 yl carbonyl) 3 (4 (pentyl)phenyl)thiourea; 1-(2,5-Dichlorothiophen 3-yl-carbonyl) 3-(4 (pentexy) phonyl)thioures; 1 (3 Methyl 5 (methylthio) 4 vinylthiophen 2-yl-carbonyl) 3 (4 (pentoxy) phenyl)thiourea; 1 (3 Methyl-5 (methylthio) 4-vinylthiophen 2 yl earbonyl) 3 (4 (benzyloxy) phenyl)thiourea; 1-(5-(Methylthio)-thiophen 2 yl-carbonyl)-3 (4 (benzyloxy)-phenyl)thiouren; 1-(5,7-Dimethylpyrazolo[1,5 a]pyrimidin 2 yl carbonyl) 3 (4 (benzyloxy) phenyl)thiouroa; 1-(2,5-Diehlerethiephen 3 yl carbonyl) 3 (4 (phenoxy) phenyl)thiouren; 1 (3 Methyl 5 (methylthio)-4-vinylthiophen-2-yl-carbonyl) 3 (4 (phenexy) phenyl)thiouroa; 1-(5-(Methylthio) thiophen 2 yl carbonyl) 3 (4 (phenoxy) phenyl)thiourea; 1 (7 Fluoro-benzofuran-2-yl-carbonyl)-3 (4 (pentoxy) phenyl)thiourea; 1-(7-Fluoro-benzofuran 2 yl-carbonyl) 3 (3 (benzyloxy)-phenyl)thiouren; 1 (2 (1,3 Dioxoiseindelin 2 yl)acetyl) 3 (3 phenoxyphenyl)thiouren; 1-(2 (1,3 Dioxoisoindolin 2 yl)acotyl) 3 (3-benzyloxyphenyl)thiouren; 1 (Benzofuran 2 yl carbonyl) 3 (3 (benzyloxy)methyl phenyl)thiourea; 1 (Benzefuran 2 yl carbonyl) 3 (3 (phonylamine)mothyl phonyl)thiourea; 1-(Benzofuran-2-yl-carbonyl) 3 (4 (N benzyl N methylamino) 3 fluorophenyl) thiouroa; Phenyl 3 (3-((benzofuran-2-yl)-earbonyl)thioureido)benzoate; 1-(4-Cyanophenyl-carbonyl)-3-(3-(benzyloxy)-phenyl)thiourea; 1 (4 Cyanophenyl carbonyl) 3 (4 (pentyloxy) phenyl)thiouren;

- 1-(4-Cyanophenyl-carbonyl)-3-(3-phenoxy-phenyl)thiourea;
- 1-(Quinoxalin 2 yl carbonyl) 3-(3-phenoxy-phenyl)thiourea;
- 1-(Quinoxalin 2 yl carbonyl) 3-(4-pentoxy phenyl)thiouren;
- 1 (Quinoxalin 2 yl carbonyl) 3 (4-pentyl-phenyl)thiouren;
- 1-(4-Trifluoromethoxyphenyl-earbonyl) 3 (4-pentyl-phonyl)thiourea;
- 1-(4-Trifluoromethexyphenyl-carbonyl) 3-(4-pentoxy-phenyl)thiourea;
- 1-(4-Trifluoremethylphonyl-carbonyl) 3 (4-pentoxy-phonyl)thiourea;
- 1 (4 Trifluoromethylphenyl carbonyl) 3 (4 pentyl phenyl)thiourea;
- 1-(5 Cyano benzofaran 2-yl carbonyl)-3 (3 phenoxy phenyl)thiouren;
- 1-(5-Gyano-benzofuran-2-yl-enrbonyl)-3-(4-pentyl-phenyl)thioureu;
- 1-(4-Methyl-1,2,3-thiadiazol-5-yl-earbonyl)-3-(4-pentoxy-phenyl)thiourea;
- 1 (4 Methyl 1,2,3 thiadiazol 5 yl carbonyl) 3 (4 pontoxy phonyl)thiourea;
- Butyl 4 (3 (4 Methyl-1,2,3 thiadiazol-5-yl-) carbonyl)thioureide) benzoate;
- 1 (Pyrazin 2 yl carbonyl) 3 (3 phonoxy phonyl)thiourea;
- 1 (Pyrazin-2-yl-oarbonyl)-3-(4-pentyl-phenyl)thiourea;
- I (Pyrazin 2 yl carbonyl) 3 (4-pentoxy-phenyl)thiourea;
- 1-(3 Fluoro 4 (pentylexy)phonyl) 3 (2-(1,3 dioxoisoindolin 2-yl)acetyl)thiourea;
- 1-(Benzofuran 2 yl carbonyl) 3 (3 trifluoromethyl 4 pentoxy-phenyl)thiourea;
- 1-(1-Benzyl-1H-tetrazol-5-yl-carbonyl) 3-(3-(benzyloxy) phenyl)thiouren;
- 1-(Benzofuran 2-yl-carbonyl)-3 (4-(N-methyl-N-pentylamino)-3 fluorophenyl)thiourea;
- 1-(1-Benzyl-1H-tetrazol 5-yl carbonyl) 3-(3-(benzyloxy) phenyl)thioureu;
- 1 (6 Trifluoromethyl-pyrid-3-yl-carbonyl) 3 (4 pentyl-phenyl)thiourea;
- 1-(6 Trifluoromethyl-pyrid-3-yl-oarbonyl)-3-(4-pentoxy-phenyl)thiourea;
- 1-(3-Trifluoromethyl-phenyl-carbonyl)-3-(3-phenoxy-phenyl)thiourea;
- 1 (3 Trifluoromethyl-phenyl earbonyl) 3 (4 pontyl phonyl)thiourea;
- 1-(3 Trifluoremethyl-phenyl-carbonyl)-3-(4 pentoxy-phenyl)thiourea;
- 1-(3 Trifluoromethoxy phenyl earbonyl) 3-(4 pentyl phenyl)thiourea;
- 1-(3-Trifluoromothoxy phonyl-carbonyl) 3 (4 pentoxy phenyl)thiouren;
- 1-(2-Chloro-5-trifluoromethoxy-phenyl carbonyl)-3-(4-pentyl phenyl)thiourea;
- 1-(3-Difluoromethyl-phenyl-carbonyl)-3-(3-phenoxy-phenyl)thiourea;
- 1-(3-Difluoromethyl-phonyl carbonyl) 3 (3-phonoxy-phonyl)thiouren;
- 1-(5-(Trifluoromethyl) 2-phenyloxazol 4-yl-carbonyl) 3-(3-(benzyloxy)-phenyl)thiourea;
- 1-(5-(Trifluoromethyl) 2 phenylexazel 4 yl earbonyl) 3 (3 (phenoxy)-phenyl)thiourea;

1 (5 (2 Chlore 5 trifluoromethylphenyl) furan 2 yl earbonyl)-3 (4 (pentexy)-phenyl)thiourea; 1-(3-Trifluoromethyl-4-methoxy-phenyl-carbonyl)-3-(3-phenoxy-phenyl)thiourea; 1-(3-Trifluoromethyl-4 chloro phenyl earbonyl) 3 (4-pentyl phenyl)thiouren; 1 (3 Trifluoromethyl 4 chlore phenyl carbonyl) 3 (4 pentoxy phenyl) thiourea; 1-(3-Trifluoromethyl-4-methyl-phenyl-carbonyl)-3-(3-benzyloxy-phenyl)thiourea; and 1-(3-Trifluoromethyl-4-methyl-phonyl-carbonyl)-3-(3-phenoxy-phonyl)thioureas. 1-(3-Trifluoromethyl-4-methyl-phenyl-earbonyl) 3 (4-pentyl-phenyl)thiourea; 1-((5-Acetamidobenzofuran 2-yl)carbonyl) 3-(3-phenoxyphenyl)thioures; 1 Acetyl 3 (3 phenoxyphenyl)thiourea; 1-Acetyl-3 (4 (pentyloxy)phenyl)thiouren; 1-Acetyl-3-(4-pentylphenyl)thiourea; 1 (Dimethylamino acetyl) 3 (3-phenoxyphenyl)thiouren; 1 (Dimethylamino-acetyl)-3-(3-benzyloxyphenyl)thiourea; 1-(3,5-Dimethylisoxazole 4-yl carbonyl) 3 (4 pentyl phenyl)thiourea; 1 (Benzofuran 2 yl carbonyl) 3 ((2,3,4,5,6-penta-fluorophenoxy) phenyl)thiouren; 1-(Benzofuran-2-yl-carbonyl)-3-(9-methyl-9H-fluoren 7-yl)thiourea; Pentyl 2-phenyl-4-(3-(benzofuran 2 yl)thiourcido)benzoate; 1 (3 Pyrid 3 yl carbonyl) 3 (3 benzyloxy phenyl)thiourea; 1.(3-Pyrid-3-yl-carbonyl)-3 (3-phenoxy-phenyl)thiouren; 1 (3 Pyrid 3 yl carbonyl) 3 (4 pentoxy phenyl)thiourea; 1 (3 Pyrid 3 yl-carbonyl) 3 (4 pentyl-phenyl)thiourea; 1-(4-Phenylbutanoyl)-3-(3-phenoxyphenyl)thiouren; 1-(4-Phenylbutanoyl)-3-(3-benzyloxyphenyl)thiourea; 1-(2-Morpholinoacetyl)-3-(3-phenexyphenyl)thiourea; 1 (2 Morpholinoacetyl) 3 (4 (pentylexy)phenyl)thieurea; 1 (2 Morpholinoacotyl) 3 (4 (pentyl)phonyl)thiourca; 1 (4 (Pentyloxy)phenyl) 3 (2 (piperidin-1 yl)acetyl)thiourea; 1 (N Methyl N phonylamino-acetyl)-3-(2-benzyloxyphenyl)thiouren; 1 (Benzofuran 2 yl earbonyl) 3 (6 pentoxy pyrid 3 yl)thiouren; 1 (3 Pyrid 3 yl carbonyl) 3 (3 benzylewy phonyl)thiourea hydrochloride; 1-(3 Pyrid-3-yl-earbonyl) 3 (3 phenoxy-phenyl)thiouren hydrochloride; 1 (3 Pyrid 3 yl carbonyl) 3 (4 pontyl phonyl)thiourca hydrochloride; 1 (Benzofuran 2 yl earbonyl) 3 (trifluoromethylthic phenyl)thiourca;

1 (3 (Piperidin 1 yl)propanoyl) 3 (4 pentylphenyl)thioures;

1-(3 (Piperidin-1-yl)propancyl)-3-(4 (pontyloxy)phenyl)thiourea;

1-(3 (Piperidin-1-yl)propanoyl) 3 (3-phenoxyphenyl)thiouren;

1-(3-Morpholinopropancyl)-3-(4-(pentyloxy)phenyl)thiourea;

1 (1 Methylpiperidin 3 yl carbonyl) 3 (4 (pontyloxy)phenyl)thiouroa;

1 (1-Methylpiperidin-3-yl-carbonyl) 3 (4 (pentyloxy)phonyl)thiourea;

1-(2-(2-methylpiperidin-1-yl)acetyl)-3-(4 (pentyloxy)phenyl)thiouren;

1-(2-Oxo-4-phenyl-pyrrolidin 1-ylearbonyl)-3-(3-benzyloxy-phenyl)thiourea; and

1-(5-Trifluoromethoxy benzofuran-2-yl carbonyl)-3-(3-benzylexy phenyl)thiourea.

Claims 82-86. (Canceled)

87. (Currently Amended) A method for treating Hepatitis C infection comprising administering to a patient in need of such treatment a therapeutically effective amount of a compound or salt the pharmaceutical composition according to Claim 1.

Claims 88-90. (Canceled)

91. (New) A compound of the formula

or a pharmaceutically acceptable salt thereof, wherein

R1 and R2 are independently hydrogen, methyl, or ethyl;

R<sub>18</sub> is 1 to 3 substitutents independently chosen from hydroxy, cyano, amino, nitro, C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-

 $C_4$ alkoxy, mono- and di- $(C_1$ - $C_4$ alkyl)amino,  $C_1$ - $C_2$ haloalkyl,  $C_1$ - $C_2$ haloalkoxy, and phenyl;  $A_2$  is a group of the formula

$$R_{11}$$
 $R_{12}$ 
 $R_{13}$ 
 $R_{14}$ 
 $R_{14}$ 
 $R_{15}$ 
 $R_{11}$ 
 $R_{13}$ 
 $R_{14}$ 
 $R_{15}$ 
 $R_{11}$ 
 $R_{15}$ 
 $R_{14}$ 
 $R_{15}$ 
 $R_{11}$ 
 $R_{15}$ 
 $R_{14}$ 
 $R_{15}$ 
 $R_{14}$ 
 $R_{15}$ 
 $R_{17}$ 

wherein

 $R_{11}$  and  $R_{12}$  each represent 0 to 3 substituents independently chosen from halogen, hydroxy, cyano,  $C_1$ - $C_6$ alkyl,  $C_1$ - $C_6$ alkoxy, mono- and di- $(C_1$ - $C_6$ alkyl)amino,  $C_2$ - $C_6$ alkanoyl,  $C_1$ - $C_2$ haloalkyl,  $C_1$ - $C_2$ haloalkoxy, and phenyl; and

 $R_{13}$  and  $R_{14}$  are independently chosen at each occurrence from hydrogen and  $C_1\text{-}C_4$ alkyl.

92. (New) A method for treating Hepatitis C infection comprising administering to a patient in need of such treatment a therapeutically effective amount of a compound or salt of Claim 91.